

**Dimensiones y Pesos Tubería acero con y sin costura convencionales de acuerdo a fórmula peso específico 7850 kg/m³**

Nominal Diameter	Diametro Exterior		Espesor de Pared		Cédula Schedule / Designation	Weight Lb/ft	Peso Kg/m
	Outside Diameter	mm	Wall thickness	mm			
8	8.625	219.1	0.120	3.05		10.91	16.24
			0.125	3.18		11.36	16.90
			0.134	3.40		12.16	18.10
			0.141	3.58		12.79	19.03
			0.148	3.76	10 10 S	13.41	19.96
			0.156	3.96		14.12	21.02
			0.164	4.17		14.83	22.08
			0.172	4.37		15.54	23.13
			0.179	4.55		16.16	24.05
			0.188	4.78		16.96	25.24
			0.203	5.16		18.28	27.20
			0.219	5.56		19.68	29.29
			0.237	6.02		21.25	31.63
			0.250	6.35	20	22.38	33.31
			0.277	7.04	30	24.72	36.79
			0.312	7.92		27.73	41.26
			0.322	8.18	40 STD	28.58	42.54
			0.344	8.74		30.45	45.32
			0.375	9.53		33.07	49.22
			0.406	10.31	60	35.67	53.09
0.438	11.13		38.34	57.05			
0.500	12.70	80 XS	43.43	64.63			
0.562	14.27		48.44	72.09			
0.594	15.09	100	51.00	75.90			
0.625	15.88		53.45	79.55			
0.719	18.26	120	60.77	90.44			
0.750	19.05		63.14	93.97			
0.812	20.62	140	67.82	100.93			
0.875	22.23	XXS	72.50	107.89			
0.906	23.01	160	74.77	111.26			
1.000	25.40		81.52	121.31			
9	9.625	244.5	0.342	8.69	STD	33.94	50.51
			0.500	12.70	XS	48.78	72.59
			0.134	3.40	5 5S	15.21	22.63
			0.141	3.58		15.99	23.80
			0.149	3.78		16.89	25.13
			0.156	3.96		17.67	26.29
			0.165	4.19	10 10S	18.67	27.79
			0.179	4.55		20.23	30.10
			0.188	4.78		21.23	31.59
			0.203	5.16		22.89	34.06
			0.219	5.56		24.66	36.69
			0.250	6.35	20	28.06	41.76
			0.279	7.09		31.23	46.48
			0.307	7.80	30	34.27	51.01
			0.312	7.92		34.82	51.81
			0.322	8.18		35.90	53.42
			0.344	8.74		38.27	56.95
			0.365	9.27	40 STD	40.52	60.31
			0.375	9.53		41.59	61.90
			0.438	11.13		48.29	71.86
0.500	12.70	60 XS	54.79	81.54			
0.562	14.27		61.21	91.09			
0.594	15.09	80	64.49	95.98			
0.625	15.88		67.65	100.68			
0.719	18.26	100	77.11	114.74			
0.812	20.62		86.27	128.39			
0.844	21.44	120	89.38	133.02			
0.875	22.23		92.38	137.47			
0.938	23.83		98.39	146.43			
1.000	25.40	140 XXS	104.24	155.12			
1.125	28.58	160	115.76	172.27			
1.250	31.75		126.95	188.93			
11	11.750	298.5	0.375	9.53	STD	45.60	67.86
			0.500	12.70	XS	60.14	89.49
12	12.750	323.9	0.105	2.67		14.19	21.12
			0.134	3.40		18.07	26.90
0.156	3.96	5S	21.00	31.26			
0.165	4.19	5	22.20	33.04			
0.172	4.37		23.13	34.42			
0.180	4.57	10 10S	24.19	36.00			

**Dimensiones y Pesos Tubería acero con y sin costura convencionales de acuerdo a fórmula peso específico 7850 kg/m³**

Nominal Diameter	Diametro Exterior		Espesor de Pared		Cédula Schedule / Designation	Weight Lb/ft	Peso Kg/m
	Outside Diameter	mm	Wall thickness	mm			
12	12.750	323.9	0.188	4.78		25.25	37.57
			0.203	5.16		27.23	40.52
			0.219	5.56		29.34	43.66
			0.237	6.02		31.70	47.18
			0.250	6.35	20	33.41	49.72
			0.281	7.14		37.46	55.74
			0.297	7.54		39.54	58.84
			0.312	7.92		41.49	61.74
			0.330	8.38	30	43.82	65.21
			0.344	8.74		45.62	67.90
			0.375	9.53	STD	49.61	73.83
			0.406	10.31	40	53.58	79.73
			0.438	11.13		57.65	85.80
			0.500	12.70	XS	65.48	97.45
			0.562	14.27	60	73.23	108.98
			0.625	15.88		81.02	120.57
			0.688	17.48	80	88.72	132.03
			0.750	19.05		96.22	143.19
			0.812	20.62		103.63	154.22
			0.844	21.44	100	107.43	159.87
0.875	22.23		111.08	165.31			
0.938	23.83		118.45	176.27			
1.000	25.40	120 XXS	125.62	186.94			
1.062	26.97		132.70	197.48			
1.125	28.58	140	139.82	208.07			
1.250	31.75		153.68	228.70			
1.312	33.32	160	160.43	238.75			
0.105	2.67		15.60	23.21			
0.134	3.40		19.86	29.56			
0.156	3.96	5S	23.09	34.36			
0.164	4.17		24.26	36.10			
0.179	4.55		26.45	39.36			
0.188	4.78	10S	27.76	41.31			
0.203	5.16		29.94	44.56			
0.210	5.33		30.96	46.07			
0.219	5.56		32.27	48.02			
0.250	6.35	10	36.75	54.69			
0.281	7.14		41.21	61.33			
0.312	7.92	20	45.66	67.94			
0.344	8.74		50.22	74.74			
0.375	9.53	30 STD	54.62	81.29			
0.406	10.31		59.00	87.81			
0.438	11.13	40	63.50	94.51			
0.469	11.91		67.84	100.96			
0.500	12.70	XS	72.16	107.39			
0.562	14.27		80.74	120.15			
0.594	15.09	60	85.13	126.69			
0.625	15.88		89.37	132.99			
0.688	17.48		97.91	145.71			
0.750	19.05	80	106.24	158.10			
0.812	20.62		114.48	170.37			
0.875	22.23		122.78	182.71			
0.938	23.83	100	130.99	194.93			
1.000	25.40		138.98	206.83			
1.062	26.97		146.89	218.60			
1.094	27.79	120	150.94	224.63			
1.125	28.58		154.85	230.44			
1.250	31.75	140	170.38	253.56			
1.406	35.71	160	189.30	281.71			
2.000	50.80		256.58	381.83			
2.125	53.98		269.78	401.47			
2.200	55.88		277.53	413.01			
2.500	63.50		307.36	457.40			
0.134	3.40		22.73	33.82			
0.165	4.19	5S	27.93	41.57			
0.188	4.78	10S	31.78	47.29			
0.203	5.16		34.28	51.02			
0.219	5.56		36.95	54.98			
0.250	6.35	10	42.09	62.64			
0.281	7.14		47.22	70.27			
0.312	7.92	20	52.33	77.87			